



## Classic Sliding Pocket Door System – Double

Generated on 02.05.2017

### Detailed description

A simple, functional, strong and reliable double sliding pocket door system. A large range is available for both UK standard size doors and made-to-measure systems (for doors up to 2 m wide and almost 3 m high).

### Features:

- The two pockets and track assemble together and are inserted into the stud work as a complete unit which helps to ensure the doors will run true and in line.
- Door slides into the pocket in the wall.
- Wide range of sizes to suit standard UK door sizes. Bespoke sizes available.
- Door panels up to 100 kg (150 kg on request).
- Suitable for use with 35 or 44 mm thick doors.
- Doors, plasterboard and final architrave not included.
- A wide range of glass pocket doors is available to suit the system – contact manufacturer for details.

### Advantages:

- Quick and easy to assemble and install.
- Complete with full jamb kit for a professional finish.
- Maintenance-free track and runners.
- Fully extractable track, no need to break into the wall should you ever want to remove it.
- Fully adjustable front and rear doorstep.
- Self-centring floor guide with anti-warp profile.

### Options

#### Size:

The following frame sizes (in mm) are available:

- 2464 x 2056: To suit double 610 x 1981 mm doors. Clearance: 1170 x 1971 mm.
- 2816 x 2056: To suit double 686 x 1981 mm doors. Clearance: 1322 x 1971 mm.
- 2844 x 2056: To suit double 711 x 1981 mm doors. Clearance: 1350 x 1971 mm.
- 3168 x 2056: To suit double 762 x 1981 mm doors. Clearance: 1471 x 1971 mm.
- 3320 x 2056: To suit double 838 x 1981 mm doors. Clearance: 1626 x 1971 mm.
- 

#### Eclisse UK

Richmond House 2  
Occupation Lane  
Gonerby Moor  
Grantham  
Lincolnshire  
NG32 2BP

Tel: +44 (0)845 481 1977

[www.eclisse.co.uk](http://www.eclisse.co.uk)  
[info@eclisse.co.uk](mailto:info@eclisse.co.uk)



3694 x 2056: To suit double 914 x 1981 mm doors. Clearance: 1800 x 1971 mm.

- 3244 x 2105: To suit double 813 x 2032 mm doors. Clearance: 1550 x 2020 mm.
- 3594 x 2105: To suit double 864 x 2032 mm doors. Clearance: 1700 x 2020 mm.
- 2494 x 2115: To suit double 626 x 2040 mm doors. Clearance: 1200 x 2030 mm.
- 2894 x 2115: To suit double 726 x 2040 mm doors. Clearance: 1400 x 2030 mm.
- 3294 x 2115: To suit double 826 x 2040 mm doors. Clearance: 1600 x 2030 mm.
- 3694 x 2115: To suit double 926 x 2040 mm doors. Clearance: 1800 x 2030 mm.
- 4094 x 2115: To suit double 1026 x 2040 mm doors. Clearance: 2000 x 2030 mm.

Frames can be adapted to non-standard door sizes on request.

#### Accessories:

- Double Door Co-ordination Kit: Doors open and close simultaneously.
- ECLISSE BIAS®: Soft Close anti-slam device with 40 kg soft closing.
- ECLISSE BIAS® DS: Bi-directional soft close up to 40 kg with anti-slam.
- Soft close: Slide the door towards the close position and the soft close takes over.

### Product specification

#### Manufacturer

- Name: Eclisse UK
- Web: [www.eclisse.co.uk](http://www.eclisse.co.uk)
- Email: [info@eclisse.co.uk](mailto:info@eclisse.co.uk)
- Tel: +44 (0)845 481 1977
- Fax: +44 (0)1476 560710
- Address: Richmond House 2, Occupation Lane, Gonerby Moor, Grantham, Lincolnshire NG32 2BP

**Product reference** Classic Sliding Pocket Door System – Double

**Size** [ ]

**Finished wall thickness** 100 mm  
125 mm

#### Door furniture

Eclisse UK



-----

OSO8 - Polished brass simple flush  
pull.  
OSC4 - Antique brass simple flush  
pull.  
OSC2 - Polished chrome simple flush  
pull.  
OSC1 - Satin chrome simple flush pull.

**Accessories**

[Not required]  
[Double Door Coordination Kit]  
[ECLISSE BIAS®]  
[ECLISSE BIAS® DS]  
[Soft close]