



WARRANTY



FD 30
(AVAILABLE)



ANTI-SLAM
(OPTIONAL)

POCKET DOORS...
made easy!

NOT ALL POCKET DOOR SYSTEMS ARE THE SAME

CLASSIC STYLE

Comes complete with jamb kit.
Requires finishing with decorative architrave.

MATCHING YOUR POCKET DOOR TO THE STUDWORK

70mm pocket- Best fit with CLS 63mm/Scant 69mm/steel stud 70mm
100mm pocket- Best fit with Scant 95mm
115mm pocket- Best fit with CLS 89mm/steel stud 92mm
See stud size chart on p11 for more details



YOU GET THE WHOLE PACKAGE WITH ECLISSE POCKET DOOR SYSTEMS...

A FULL GALVANISED STEEL POCKET Not just a track and a few slats of wood

A QUICK-CLICK FRAME Quick and simple to install

UNRIVALLED RANGE OF FRAME THICKNESSES (70/75/90/100mm) to suit most popular timber stud sizes e.g. CLS, Scant and more plus metal stud too

DOUBLE BOARDING OPTIONS AVAILABLE to suit your project needs

EXTRACTABLE TRACK Extract the track and running gear and retrofit accessories without ever having to break into the wall

RELIABILITY GUARANTEED Comprehensively tested, nothing left to chance

MADE SPECIFICALLY FOR THE UK Just pick a kit to fit your door size, it's as easy as that

WHY CHOOSE ECLISSE? EASY TO FIT, STRONG & RELIABLE



SYNTESIS® FLUSH STYLE

Architrave free design available in three finished wall thicknesses:
100mm, 125mm and 150mm

...AND MUCH MORE

NEXT WORKING DAY DELIVERY on all stock items. Just order before noon on a working day

FREE DELIVERY on all stock frames and accessories on the same order

FD30 APPROVED - 30 minute fire rated Classic Single and Doubles


EXPERT TECHNICAL ADVICE from our UK based Customer Service Team

ACCESSORIES - a great range of useful accessories and door furniture

ORDER ONLINE OR OVER THE PHONE - it couldn't be easier

Perfecting pocket doors for more than 30 years!

STANDARD COMES AS STANDARD!



use **STANDARD** doors, metric or imperial

use **STANDARD** door thicknesses 35 or 44mm


use **STANDARD** 12.5mm plasterboard (we even supply the screws!)

use **STANDARD** stud work, most popular sizes of wood or metal stud*

THE ONLY THING SPECIAL IS THE ECLISSE SYSTEM ITSELF!

* Other variations available, see page 11.

CLASSIC COLLECTION: ORDER OF WORK



CLASSIC SINGLE ORDER OF WORK

1.	ASSEMBLE THE FRAME	15 minutes
2.	SCREW FRAME INTO THE STUDWORK	15 minutes
3.	FIT THE DOOR (TWO BRACKETS AND A PROFILE)	15 minutes
4.	FIT JAMBS	45 minutes



YOU CAN FIT THE PLASTERBOARD FROM THIS POINT ANYTIME BEFORE FITTING THE JAMBS.

THAT'S IT !


IN A COUPLE OF HOURS YOU'LL HAVE A BEAUTIFUL POCKET DOOR. PLUS YOU WILL HAVE CREATED A LOT MORE USABLE SPACE AND HAVE THE BEST POSSIBLE RESULT - GUARANTEED!

CLASSIC SINGLE




DETERMINE YOUR STUD SIZE AND FINISHED WALL THICKNESS

Timber Stud - 3"x2" CLS: The actual dimension of this stud is 63mm thick. The best fit is to use a 70mm pocket thickness. This results in a 95mm finished wall thickness.




Timber Stud - 3"x2" Scant/Construction Timber: The actual dimension of this stud is 69 or 70mm thick. The best fit is to use a 70mm pocket thickness. This results in a 95mm finished wall thickness.




Also fits 70 and 90mm steel stud. See table on p11.

CHOOSE EITHER



DOOR SIZE	PASSAGE SIZE	FRAME SIZE	WALL SIZE
STANDARD DW x DH	STANDARD PW x PH	STANDARD W x H	STANDARD FWT
626 x 2040	= 600 x 2030	1294 x 2115	95 - 100 - 115 - 125
726 x 2040	= 700 x 2030	1494 x 2115	95 - 100 - 115 - 125
826 x 2040	= 800 x 2030	1694 x 2115	95 - 100 - 115 - 125
926 x 2040	= 900 x 2030	1894 x 2115	95 - 100 - 115 - 125
1026 x 2040	= 1000 x 2030	2094 x 2115	95 - 100 - 115 - 125
2ft. 0in. x 6ft. 6in. (610 x 1981 mm)	= 585 x 1971	1279 x 2056	95 - 100 - 115 - 125
2ft. 3in. x 6ft. 6in. (686 x 1981 mm)	= 661 x 1971	1455 x 2056	95 - 100 - 115 - 125
2ft. 6in. x 6ft. 6in. (762 x 1981 mm)	= 737 x 1971	1631 x 2056	95 - 100 - 115 - 125
2ft. 9in. x 6ft. 6in. (838 x 1981 mm)	= 813 x 1971	1707 x 2056	95 - 100 - 115 - 125
3ft. 0in. x 6ft. 6in. (914 x 1981 mm)	= 900 x 1971	1894 x 2056	95 - 100 - 115 - 125
2ft. 4in. x 6ft. 6in. (711 x 1981 mm)	= 675 x 1971	1469 x 2056	95 - 100 - 115 - 125
2ft. 8in. x 6ft. 8in. (813 x 2032 mm)	= 775 x 2020	1669 x 2105	95 - 100 - 115 - 125
2ft. 10in. x 6ft. 8in. (864 x 2032 mm)	= 850 x 2020	1844 x 2105	95 - 100 - 115 - 125



Where not specified, dimensions are given in mm


Bespoke sizes available please contact us on 0333 5770828 for more information

CLASSIC DOUBLE



DETERMINE YOUR STUD SIZE AND FINISHED WALL THICKNESS

Timber Stud - 4"x2" CLS: The actual dimension of this stud is 89mm thick. The best fit is to use a 90mm pocket thickness. This results in a 115mm finished wall thickness.




Timber Stud - 4"x2" Scant/Construction Timber: The actual dimension of this stud is 95mm thick. The best fit is to use a 100mm pocket thickness. This results in a 125mm finished wall thickness.



CHOOSE EITHER

	DOOR SIZE	PASSAGE SIZE	FRAME SIZE	WALL SIZE
	STANDARD DW x DH	STANDARD PW x PH	STANDARD W x H	STANDARD FWT
	626 x 2040	= 1200 x 2030	2494 x 2115	95 - 100 - 115 - 125
	726 x 2040	= 1400 x 2030	2894 x 2115	95 - 100 - 115 - 125
	826 x 2040	= 1600 x 2030	3294 x 2115	95 - 100 - 115 - 125
	926 x 2040	= 1800 x 2030	3694 x 2115	95 - 100 - 115 - 125
	1026 x 2040	= 2000 x 2030	4094 x 2115	95 - 100 - 115 - 125
	2ft. 0in. x 6ft. 6in. (610 x 1981 mm)	= 1170 x 1971	2464 x 2056	95 - 100 - 115 - 125
	2ft. 3in. x 6ft. 6in. (686 x 1981 mm)	= 1322 x 1971	2816 x 2056	95 - 100 - 115 - 125
	2ft. 6in. x 6ft. 6in. (762 x 1981 mm)	= 1474 x 1971	3168 x 2056	95 - 100 - 115 - 125
	2ft. 9in. x 6ft. 6in. (838 x 1981 mm)	= 1626 x 1971	3320 x 2056	95 - 100 - 115 - 125
	3ft. 0in. x 6ft. 6in. (914 x 1981 mm)	= 1800 x 1971	3694 x 2056	95 - 100 - 115 - 125
	2ft. 4in. x 6ft. 6in. (711 x 1981 mm)	= 1350 x 1971	2844 x 2056	95 - 100 - 115 - 125
	2ft. 8in. x 6ft. 8in. (813 x 2032 mm)	= 1550 x 2020	3244 x 2105	95 - 100 - 115 - 125
	2ft. 10in. x 6ft. 8in. (864 x 2032 mm)	= 1700 x 2020	3594 x 2105	95 - 100 - 115 - 125



Where not specified, dimensions are given in mm

Bespoke sizes available please contact us on 0333 5770828 for more information

Enquiries and order line: 0333 577 0828. Order online: www.eclisse.co.uk.

CLASSIC SINGLE



THE ECLISSE ADVANTAGE

- Full galvanised steel frame with integrated pocket and metal door post
- Use your own standard UK door panel
- Full timber lining kit
- Wide range of accessories and door furniture
- 15 year guarantee




FULL POCKET MADE FROM NEW STRONGER PROFILES

The horizontal reinforced bars are formed from 0.7mm galvanised steel into strong dovetail sections that fit to the reinforced verticals to form a robust pocket.



MAINTENANCE FREE TRACK AND RUNNERS

Smooth and quiet runners. Sealed in the track so they cannot jump out. Tested to 100,000 open and close cycles.



ANTI-WARP UNDER DOOR PROFILE

This fits into a channel routed into the underside of the door and cannot be seen. It locates on the spigot of the self-centering door guide resulting in a smooth opening and closing action even if the door was to warp.



FULL FSC TIMBER LINING / JAMB KIT


Quality jamb kit with dust brushes, rubber bumpers and recessed doorpost for a really professional finish. Now with more discrete grey brushes.

CLASSIC DOUBLE



EXTRACTABLE TRACK

Extract the track and running gear and retrofit accessories without ever having to break into the wall. No hassle, no mess, no new wall finishing.




SELF-CENTERING DOOR GUIDE

Screws into the frame and so is perfectly aligned in seconds.



EASIER INSTALLATION

Perforated horizontals means no predrilling prior to fixing plasterboard screws and the addition of guidance lines on frame for easy alignment when fitting plasterboard.



DOORSTOPS FRONT AND REAR

Easily adjust the amount the door protrudes from the pocket.

CLASSIC COLLECTION: THE JAMB KIT

NOT ALL SUPPLIERS GO TO THESE LENGTHS FOR THE PERFECT FINISH!

COMPONENTS

A	Top horizontal jambs*
B	Vertical pocket jambs
C	Wooden door post
s	Brushes
g	Rubber bumpers
	* Supplied in one piece to be cut as required

A PROFESSIONAL FINISH

We could have left it at that - a brilliant galvanised steel sliding pocket door system... but the overall look of the finished article is extremely important to customer satisfaction. So rather than leaving it to chance we designed our own timber lining kit (jambs) and supply these AS STANDARD.

NOT JUST ANY PIECE OF WOOD


The attractive high quality jambs are made for long term stability with an attractive beechwood veneer* that can be painted or stained. The pieces include recesses into which the brushes are fitted.

DESIGN DETAILS

Why do we go to all the trouble to produce a recessed wooden door post? Well if you think about it, a flat door post would not guarantee a perfect shut line between the door and the post however a recessed post allows the door to enter into the post so creating a perfect shut line. We also include rubber bumpers to insert into the corners of the recess so the door doesn't bang against wood every time it closes!

To cope with both 35mm and 44mm thick doors we include two sets of brushes so they always give you the perfect finish.


SINGLE AND DOUBLES




FSC® C121832

(Architrave not included)

STD JAMBS FOR SINGLE DOOR



STD JAMBS FOR DOUBLE DOORS




* We reserve the right to supply jambs in a different wood or finish.



FOR FIRE JAMBS SEE eclisse.co.uk

CLASSIC COLLECTION: INSTALLATION



ECLISSE have an unrivalled range of frame thicknesses 70mm, 75mm, 90mm and 100mm to suit most popular timber stud sizes. E.g. CLS, Scant and more plus metal stud too.

ECLISSE pocket door systems have been designed to use standard materials used in wall construction and are designed to fit:

- Common standard stud sizes- both timber and metal
- 12.5mm plasterboard
- A wide range of standard UK door sizes

Sizing a Pocket Door System starts with understanding the thickness of studwork it is being installed into. This makes matching the pocket door frame to the studwork easy... which in turn makes the job of the installer easier too.

DETERMINE YOUR STUD SIZE AND FINISHED WALL THICKNESS

Stud Work Type	Actual Stud Thickness	Frame Assembly	Finished Wall Thickness	Plasterboarding Options		
				On Pocket	On Rest of Wall	
TIMBER STUD	Scant/Softwood Construction Timber 3"x2" / 75x50mm	69mm	70mm	95mm	One 12.5mm layer each side	One 12.5mm layer each side
	CLS 3"x2" / 75x50mm	63mm	70mm	95mm	One 12.5mm layer each side	One 6mm layer on stud work on one side + One 12.5mm layer each side
	Scant/Softwood Construction Timber 4"x2" / 100x50mm	95mm	100mm	125mm	One 12.5mm layer each side	One 15mm layer each side
	CLS 4"x2" / 100x50mm	89mm	90mm	115mm	One 12.5mm layer each side	One 12.5mm layer each side
METAL STUD	Metal Stud	70mm	70mm	95mm	One 12.5mm layer each side	One 12.5mm layer each side
		92mm	90mm	115mm	One 12.5mm layer each side	One 12.5mm layer each side

FOR OUR FD30 SYSTEMS PLEASE SEE eclisse.co.uk



THE GLASS COLLECTION



Let the sunshine in!

Don't just use these systems for your ensuite... enhance natural light and maximise space in any part of your property with single and double Glass Pocket Doors. Frameless glass pocket doors are perfect for opening up and closing off an open plan living and dining space, or a kitchen and dining area. Or why not let more light into a hallway, utility or pantry with a frameless glass pocket door. With such a wide range of designs available you will be spoilt for choice!

Whether you prefer a minimalist design, an ornate pattern, or a stunning design hand painted by an Italian artist, we have options to suit all tastes. If you prefer, you could supply your own design... the options are endless!

Make a statement, improve and increase your space and create a brighter place to live!

Here are just a few examples, we have lots more, see: eclisse.co.uk/Karis-Glass-Doors

SATIN



RIFLESSI



RIGHE 1



ACQUA



BOLLE



ROSA PESCO



JUNGLE



PUPA



THE GLASS COLLECTION



ANOUCHE




NEBBIA



BRIO



TRAMONTO



STARGATE



QUADRELLLO



NINFE



CHIOMA



OBLIO



OBLIQUO



COLOUR



SMOKED GREY



ACCESSORIES

CREATE THE PERFECT POCKET DOOR...

SOFT CLOSE WITH ANTI-SLAM



ECLISSE BIAS®, Built-In Anti-Slam
SOFT CLOSE WITH ANTI-SLAM TECHNOLOGY
FOR SINGLE AND DOUBLE DOORS

This is a true anti-slam device that protects the door from being slammed on fingers by slowing it down towards the close position. Even when the door is slammed the ECLISSE BIAS® will slow the travel of the door as it closes.

- Invisible from the outside
- Easy to fit
- Can be retrofitted

BI-DIRECTIONAL SOFT CLOSE WITH ANTI-SLAM



ECLISSE BIAS® DS, Built-In Anti-Slam Double Side
BI-DIRECTIONAL SOFT CLOSE WITH ANTI-SLAM
TECHNOLOGY FOR SINGLE AND DOUBLE DOORS

All the benefits of the BIAS® but bi-directional. The BIAS® DS will soft-close the door as the door closes and also as it opens.

- Invisible from the outside
- Easy to fit
- Can be retrofitted
- Compatible with certain door sizes only (please check compatibility chart)

TOUCH LATCH



ECLISSE Touch Latch

SIMPLY PUSH THE LEADING EDGE OF THE DOOR AND THE DOOR IS RELEASED FROM THE POCKET

Enables a pocket door to sit fully flush back inside the pocket, removing the need for a leading edge finger pull. Push the leading edge of the door gently for it to then release allowing you to access the handle as normal.

- Invisible from the outside
- Easy to fit
- Compatible with BIAS®
- Can be used for single and double pocket door systems

Choose the **Syntesis® Touch Latch** for a Syntesis® Pocket Door System and a **Classic Touch Latch** for a Classic Pocket Door System.

ACCESSORIES

...WITH THESE FINISHING TOUCHES!

SELF-CLOSING SYSTEM



The ECLISSE self-closing mechanism is an ingenious device, completely enclosed inside the system, which allows the door to close by itself, automatically - with no input from you!

There is a self-closing mechanism suitable for the **Classic Single Pocket Door System** and also a self-closing mechanism suitable for the **Classic Double Pocket Door System**. Note: two items are required to be purchased for the double.

- Compatible with ECLISSE BIAS® Soft Close with Anti-Slam.
- Closing door speed can be adjusted.

Neither of these products are suitable for use in conjunction with our Syntesis® Flush range of pocket door systems.



DOUBLE DOOR CO-ORDINATION



There is an ECLISSE Co-ordination Kit for Classic Double Door System and an ECLISSE Co-ordination Kit for Syntesis® Flush Double Door System.

With these devices the **opening/closing of the both doors is co-ordinated** i.e. open or close one door, the other opens or closes at the same time. The coordination kit will slow down and close the double doors if they are no more than 20 kg each. Heavier doors will just be slowed down.



ECLISSE Co-ordination Kit for Classic Double Door System



ECLISSE Co-ordination Kit for Syntesis® Flush Double Door System

DOOR FURNITURE



ESSENTIALS COLLECTION

Beautifully simple flush pull and bathroom/privacy lock designs at amazing prices

A choice of round or square satin chrome flush pull sets for sliding pocket doors and bathroom/privacy locks. All with a 5-year guarantee.

ESSENTIALS ROUND FLUSH PULL SET

External Diameter 56mm



Note: For double doors order two sets

ESSENTIALS SQUARE FLUSH PULL SET

54.5mm x 54.5mm



Note: For double doors order two sets

ESSENTIALS ROUND BATHROOM / PRIVACY LOCK SET

External Diameter 56mm



ESSENTIALS SQUARE BATHROOM / PRIVACY LOCK SET

54.5mm x 54.5mm



Both styles come with an internal thumb turn and emergency release.

Suitable for 35 and 44mm doors.

Each privacy lock set comes with a hook and latch mechanism.

Note: This lock will not allow your door to go flush back into the pocket.



DOOR FURNITURE



FIRENZE COLLECTION

Best selling designer Italian flush pulls and bathroom / privacy locks for sliding pocket doors

These ever popular Italian flush pulls and bathroom/privacy locks offer choice and flexibility with a variety of finishes and styles. The Firenze range comes with a 10-year guarantee.

FIRENZE ROUND FLUSH PULL SET

External Diameter 57mm
Finishes: PB - AB - PCR - SCR - BLK



FIRENZE HALF MOON FLUSH PULL SET

External Diameter 57mm
Finishes: PCR - SCR



FIRENZE ROUND PRIVACY / BATHROOM LOCK SET

External Diameter 57mm
Suitable for 35 and 44mm door panels
Please specify when ordering
Finishes: PB - AB - PCR - SCR - BLK



Polished Brass
PB



Antique Brass
AB



Polished Chrome
PCR



Satin Chrome
SCR




Black Painted
BLK

INTRODUCING...

AVAILABLE IN FINISHED WALL THICKNESSES
100mm, 125mm and 150mm


FLUSH POCKET DOOR FRAME:

- Easy to install 'Quick-Click' system
- Extractable track and maintenance free runners
- Adjust the rear door stop without removing the door
- Use your own door panel



REINFORCED FRAME WITH INNOVATIVE EDGE PROFILE

The frame is reinforced at key points to avoid strains that can cause cracks in the plaster. The special edge profile allows you to plaster up to the edge for a clean crisp finish. The pocket entrance verticals are made from extruded aluminium alloy for maximum strength. Assembles together with specially formed strong horizontal bars to make up a full pocket.



EXTRACTABLE TRACK, MAINTENANCE FREE RUNNERS AND SEALING STRIPS

This system also benefits from an extractable track and maintenance free runners. Extract the track and running gear without ever having to break into the wall. No hassle, no mess, no new wall finishing. The top of the door is concealed by paintable sealing strips.



ECLIPSE SYNTESIS® FLUSH SKIRTING ADAPTER AND CONNECTORS

The skirting adapter allows skirting to be flush with the wall.

...FLUSH FINISH, NO ARCHITRAVES

FLUSH HINGED FRAME:

- Easy to install
- High strength aluminium frame with special edge profile for crisp plaster finish right up to the edge
- Purchase as doorset or frame only

The ECLISSE SYNTESIS® FLUSH COLLECTION is a complete range of flush or architrave free products that work in harmony with each other.

The collection features a pocket door system without jambs or architrave, a concealed hinged door frame and a flush skirting board adapter.

The emphasis is on uninterrupted, clean lines for an interior without fuss, where less is more.



SUPPLIED WITH MAGNETIC LATCH AND CONCEALED HINGES


The magnetic latch is designed to close softly and discretely.

The bolt remains flush with the panel when the door is open. It is attracted to the magnetic strike plate when closing, without pressing the handle.



HARDWARE KIT

The ECLISSE SYNTESIS® FLUSH HINGED door frame is supplied with a hardware kit that comprises of door seals, a magnetic latch, 3 concealed hinges adjustable in 3 axes, hinge covers, strike plate and fixings.



SUPPLIED WITH OR WITHOUT DOOR

The door supplied is primed and ready to paint. The benefit of ordering the door set i.e. frame and door, is that the door will already have all the required rebates and also cut out for the hinges and latch.

SIZE GUIDES, TECHNICAL AND INSTRUCTIONS, PLEASE VISIT OUR WEBSITE AT eclisse.co.uk

5 REASONS TO ORDER FROM US



TRADE DISCOUNT:

Call us on **0333 577 0828** to ask about our great discounts for trade and large projects.

Our office opening hours are from 8:30am - 5pm Monday - Friday.



FREE Next Working Day Delivery:

We aim to give you a next working day delivery if you order over the phone before 12 noon or 1pm online on a working day.

Delivery is free for all stock frames and accessories/door furniture purchased on the same order.



EXPERT and FRIENDLY Customer Service:

The members of our UK based Customer Service Team are ECLISSE product specialists. They have attended courses, assembled products and probably answered every question about pocket doors you can imagine.



GREAT QUALITY:

ECLISSE have become the benchmark for high quality, engineered pocket door systems. Our pocket doors have been comprehensively tested for strength, durability and corrosion and have a great 15 year guarantee.



ONLINE Installation Videos:

Not installed an ECLISSE Pocket Door System before?

Not a problem... our online YouTube installation videos will help.

Just follow the link from the home page of our website www.eclisse.co.uk

EASY ORDERING



ORDER over the PHONE: 0333 577 0828

Our friendly customer service team will be happy to take your order or answer any queries you may have.



ORDER ONLINE:

Fast and secure ordering online from www.eclisse.co.uk



How to pay:

We accept the following major debit and credit cards Mastercard, UK Maestro, Visa, Visa Debit, Visa Electron.

AND THERE'S MORE...



PEACE OF MIND:

We keep a comprehensive range of spare parts in stock so if you should lose a screw or two on site just give us a call on **0333 577 0828**, and within reason we will supply what you are missing free of charge.



DON'T SCRATCH YOUR HEAD IF SOMETHING'S NOT CLEAR, GIVE US A CALL ON 0333 577 0828, YOU WILL FIND A FRIENDLY VOICE THAT CAN HELP YOU WITH ANY ASPECTS OF OUR PRODUCTS. YOU CAN ALWAYS USE THE QR CODE TO GO STRAIGHT TO OUR WEBSITE ECLISSE.CO.UK

ALSO IN THE CLASSIC COLLECTION...



CURVED **SINGLE OR DOUBLE**

Continue the curve and create architecturally sophisticated design with movement and shape. Make a spectacular entrance or exit with this stunning feature. Doors supplied.



NOVANTA **FOLD AND SLIDE**

This is the little genius of the ECLISSE range. Half the door slides into the wall and half of the door folds back discretely. When there isn't enough space for a full pocket and you have restricted space to achieve your ideal layout for a downstairs loo or utility area the NOVANTA provides the answer. Door supplied.



TELESCOPIC **TWO DOORS INTO ONE POCKET**

The telescopic system allows two full sized door panels to slide back into the same pocket in the wall. For the widest possible opening choose the double version incorporating four door panels; two slide back into a pocket on the left and two slide back into a pocket on the right. Add a synchronisation system to allow both doors on one side to travel back into the pocket smoothly and simultaneously.



UNILATERAL **TWO DOORS INTO A CENTRAL POCKET**

Perfect for narrow hallways and corridors where wall space is limited. The UNILATERAL allows you to have two doors side by side and only one wall pocket.

FAQ's

FRAME?

Q. DO ECLISSE FRAMES COME SUPPLIED WITH THE DOORS?

A. No, you can use any standard size door panel you like, between 35 and 44mm thick, we have a frame to fit most standard sizes. We do however supply Glass Pocket Doors where the frameless glass door is supplied.

Q. WHAT ARE THE LIMITS ON THE DOOR SIZES?

A. If you have a non standard door panel size, between 35 and 44mm thick, we can supply a bespoke frame to fit. Maximum bespoke sizes vary for different products (see website for details).

Q. DO I NEED A THRESHOLD?

A. No the floor surface remains uninterrupted, you can continue it through the doorway.

Q. DO YOU OFFER INSTALLATION?

A. No, we supply only because these are relatively easy to assemble and install by Builders, Joiners or even competent DIYers.

Q. WHAT GUARANTEE DO YOU OFFER?

A. The ECLISSE steel system is guaranteed for 15 years against material or manufacturing defects.

JAMBS?

Q. ARE THERE DIFFERENT JAMBS FOR DIFFERENT FRAMES?

A. Jambs kits/timber lining kits are supplied with our Classic range of products (i.e. that require finishing off with decorative architrave). For the ECLISSE Classic Single and Double systems you need to know your stud thickness and finished wall thickness when ordering to determine which jamb kit is relevant.

NOTE: Our FD30 products have a special jamb/architrave section that is supplied with the frame.

Q. WHAT MATERIALS ARE THEY MADE OF?

A. We supply high quality jambs are made for long term stability with an attractive beechwood veneer* that can be painted or stained.

NOTE: Our FD30 jamb/architrave sections are made from a special high density slow burning wood.

Q. WHY DO WE USE BRUSHES AROUND THE DOOR?

A. The brushes protect the pocket from dust and debris and also compensate from any slight warping of your door.

Q. SO WHO NEEDS A WOODEN DOOR POST?

A. The recessed door post ensures that when your door is closed it will have a perfect closure line and not allow a chink of light through which is what can happen with a flat door post. Rubber bumpers fit into the recesses of the door post to soften the closing noise.

GLASS DOORS?

Q. IS THE GLASS TOUGHENED?

A. Our frameless glass doors are tempered (toughened) to the latest European standards. Care should always be taken when installing any glass door; if you were to drop it on a corner it would most likely break. However with our tempered glass doors, if this did happen, the glass would break safely into thousands of tiny pieces unlike a glass door that hasn't been tempered which would break into sharp sections of glass. You can see the glass tempering certificate in the technical section of our website.

Q. CAN I HAVE MY OWN DESIGN?

A. Within reason yes, we can even print your photo on the doors (hi res photo needed though).

Q. WHAT ABOUT HANDLES?

A. Take a look at www.eclisse.co.uk...

Q. WILL THE DOOR DROP DOWN OVER TIME?

A. Our 10mm doors use ultra safe bracket designed by us for zero drop down over time.

© 2022 ECLISSE, all rights reserved.

The use, filing and total or partial reproduction, using any mechanical or electronic means, of texts, drawings and pictures contained in this publication is strictly prohibited, unless specifically approved in writing by ECLISSE.



ECLISSE UK Ltd - Richmond House - Occupation Lane - Gonerby Moor - Grantham - Lincs NG32 2BP
Tel 0333 577 0828 - info@eclisse.co.uk - eclisse.co.uk

Follow us on:



ECLISSE UK Ltd is an Employee Owned company with each employee being a full partner in the company.
That's why we strive every day to work to the highest possible standards and make every effort to meet and exceed your expectations.
