



Curved pocket door system

Generated on 02.05.2017



Detailed description

A spectacular curved sliding door system to re-interpret the division of internal space. Various sizes and radii are available, adaptable to a wide range of requirements. Double door systems are also available.

Features:

- Curved door available in a variety of real wood veneers including cherry walnut (standard option), mahogany, oak, beech, walnut and cherry.
- The runners are specially constructed to slide in the curved track and adapt to different radii of curvature.
- The pocket for the curved door is constructed from modular metal sheet.
- Wide range of standard sizes available. Non-standard sizes available up to 1200 x 2600 mm with various radii.
- The single curved pocket door system can have a left or right opening action.
- Sliding system, doors, door jambs and final architraves all supplied.

Advantages:

- Complete with full wooden jamb kit for a professional finish.
- Adjustable front and rear door stops.

Product guidance - As Standard

Finished wall thickness:

125 mm.

Options

Size:

The following frame sizes (in mm) are available:

– Eclisse Circular Single:

1000 mm radius:

- 1250 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1390 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1545 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1650 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 1760 x 2158/2258: Clearance – 1000 x 2000/2100 mm.

Eclisse UK

Richmond House 2
Occupation Lane
Gonerby Moor
Grantham
Lincolnshire
NG32 2BP

Tel: +44 (0)845 481 1977

www.eclisse.co.uk
info@eclisse.co.uk



1200 mm radius:

- 1295 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1450 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1600 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1770 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 1890 x 2158/2258: Clearance – 1000 x 2000/2100 mm.

1300 mm radius:

- 1305 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1470 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1625 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1775 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 1940 x 2158/2258: Clearance – 1000 x 2000/2100 mm.

1500 mm radius:

- 1330 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1500 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1665 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1825 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 1975 x 2158/2258: Clearance – 1000 x 2000/2100 mm.

1700 mm radius:

- 1300 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1480 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1695 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1865 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 2025 x 2158/2258: Clearance – 1000 x 2000/2100 mm.

1800 mm radius:

- 1350 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1530 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1705 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1875 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 2040 x 2158/2258: Clearance – 1000 x 2000/2100 mm.

2000 mm radius:

- 1360 x 2158/2258: Clearance – 600 x 2000/2100 mm.
- 1540 x 2158/2258: Clearance – 700 x 2000/2100 mm.
- 1720 x 2158/2258: Clearance – 800 x 2000/2100 mm.
- 1900 x 2158/2258: Clearance – 900 x 2000/2100 mm.
- 2070 x 2158/2258: Clearance – 1000 x 2000/2100 mm.



– Eclisse Circular Double:

1000 mm radius:

- 1870 x 2158/2258: Clearance – 1200 x 2000/2100 mm.
- 1840 x 2158/2258: Clearance – 1400 x 2000/2100 mm.

1200 mm radius:

- 2115 x 2158/2258: Clearance – 1200 x 2000/2100 mm.
- 2265 x 2158/2258: Clearance – 1400 x 2000/2100 mm.
- 2295 x 2158/2258: Clearance – 1600 x 2000/2100 mm.
- 2180 x 2158/2258: Clearance – 1800 x 2000/2100 mm.

1300 mm radius:

- 2180 x 2158/2258: Clearance – 1200 x 2000/2100 mm.
- 2345 x 2158/2258: Clearance – 1400 x 2000/2100 mm.
- 2460 x 2158/2258: Clearance – 1600 x 2000/2100 mm.
- 2455 x 2158/2258: Clearance – 1800 x 2000/2100 mm.
- 2320 x 2158/2258: Clearance – 2000 x 2000/2100 mm

1500 mm radius:

- 2300 x 2158/2258: Clearance – 1200 x 2000/2100 mm.
- 2520 x 2158/2258: Clearance – 1400 x 2000/2100 mm.
- 2730 x 2158/2258: Clearance – 1600 x 2000/2100 mm.
- 2835 x 2158/2258: Clearance – 1800 x 2000/2100 mm.
- 2875 x 2158/2258: Clearance – 2000 x 2000/2100 mm.

1700 mm radius:

- 2330 x 2158/2258: Clearance – 1200 x 2000/2100 mm.
- 2660 x 2158/2258: Clearance – 1400 x 2000/2100 mm.
- 2885 x 2158/2258: Clearance – 1600 x 2000/2100 mm.
- 3065 x 2158/2258: Clearance – 1800 x 2000/2100 mm.
- 3225 x 2158/2258: Clearance – 2000 x 2000/2100 mm.

1800 mm radius:

- 2355 x 2158/2258: Clearance – 1200 x 2000/2100 mm.
- 2685 x 2158/2258: Clearance – 1400 x 2000/2100 mm.
- 2930 x 2158/2258: Clearance – 1600 x 2000/2100 mm.
- 3135 x 2158/2258: Clearance – 1800 x 2000/2100 mm.
- 3325 x 2158/2258: Clearance – 2000 x 2000/2100 mm.

2000 mm radius:

•



2385 x 2158/2258: Clearance – 1200 x 2000/2100 mm.

- 2760 x 2158/2258: Clearance – 1400 x 2000/2100 mm.
- 3030 x 2158/2258: Clearance – 1600 x 2000/2100 mm.
- 3275 x 2158/2258: Clearance – 1800 x 2000/2100 mm.
- 3480 x 2158/2258: Clearance – 2000 x 2000/2100 mm.

Product specification

Manufacturer

- Name: Eclisse UK
- Web: www.eclisse.co.uk
- Email: info@eclisse.co.uk
- Tel: +44 (0)845 481 1977
- Fax: +44 (0)1476 560710
- Address: Richmond House 2, Occupation Lane, Gonerby Moor, Grantham, Lincolnshire NG32 2BP

Product reference Curved Single
Curved Double

Size [_____]

Door colour Beech
Cherry
Cherry walnut - Standard.
Mahogany
Oak
Walnut

Furniture As schedule
OSO8 - Polished brass simple flush pull.
OSC4 - Antique brass simple flush pull.
OSC2 - Polished chrome simple flush pull.
OSC1 - Satin chrome simple flush pull.
OSO3 - Polished brass bathroom lock.
OSA - Antique brass bathroom lock.
OSO1 - Polished chrome bathroom lock.
OSS - Satin chrome bathroom lock.