



Telescopic Sliding Pocket Door System

Generated on 02.05.2017

Detailed description

A telescopic sliding door system allowing two or four door panels to go into the same wall giving the widest opening and light for the shortest wall space. A synchronized system is also available which allows the doors to slide into the frame smoothly and simultaneously. The telescopic sliding pocket door system provides flexible space and is an ideal choice for opening up or closing off an open plan space.

Features:

- The door post, pocket and track assemble together and are inserted into the stud work as a complete unit which helps to ensure the door will run true and in line.
- Door slides into the pocket in the wall.
- Easy and quick assembly and installation.
- Wide range of sizes to suit standard UK door sizes. Bespoke sizes available.
- Door panels up to 100 kg.
- Suitable for use with 35 or 44 mm thick doors.
- Doors, plasterboard and final architrave not included.

Advantages:

- Complete with full wooden jamb kit for a professional finish.
- Maintenance-free track and runners.
- Full adjustable front and rear doorstep.

Product guidance - As Standard

Finished wall thickness:

180 mm.

Options

Size:

The following frame sizes (in mm) are available:

– Telescopic Single:

- 1821 x 2056: To suit 610 x 1981 mm door. Clearance: 1108 x 1971 mm.
- 2073 x 2056: To suit 686 x 1981 mm door. Clearance: 1260 x 1971 mm.
- 2325 x 2056: To suit 762 x 1981 mm door. Clearance: 1412 x 1971 mm.
-

Eclisse UK



Eclisse UK

Richmond House 2
Occupation Lane
Gonerby Moor
Grantham
Lincolnshire
NG32 2BP

Tel: +44 (0)845 481 1977

www.eclisse.co.uk
info@eclisse.co.uk



2477 x 2056: To suit 838 x 1981 mm door. Clearance: 1564 x 1971 mm.

- 2753 x 2056: To suit 914 x 1981 mm door. Clearance: 1740 x 1971 mm.
- 1853 x 2115: To suit 626 x 2040 mm door. Clearance: 1140 x 2030 mm.
- 2153 x 2115: To suit 726 x 2040 mm door. Clearance: 1340 x 2030 mm.
- 2453 x 2115: To suit 826 x 2040 mm door. Clearance: 1540 x 2030 mm.
- 2753 x 2115: To suit 926 x 2040 mm door. Clearance: 1740 x 2030 mm.
- 3053 x 2115: To suit 1026 x 2040 mm door. Clearance: 1940 x 2030 mm.

– Telescopic Double:

- 3850 x 2056: To suit double 610 x 1981 mm doors. Clearance: 2236 x 1971 mm.
- 4084 x 2056: To suit double 686 x 1981 mm doors. Clearance: 2540 x 1971 mm.
- 4588 x 2056: To suit double 762 x 1981 mm doors. Clearance: 2844 x 1971 mm.
- 4892 x 2056: To suit double 838 x 1981 mm doors. Clearance: 3148 x 1971 mm.
- 5396 x 2056: To suit double 914 x 1981 mm doors. Clearance: 3452 x 1971 mm.
- 3644 x 2115: To suit double 626 x 2040 mm doors. Clearance: 2300 x 2030 mm.
- 4244 x 2115: To suit double 726 x 2040 mm doors. Clearance: 2700 x 2030 mm.
- 4844 x 2115: To suit double 826 x 2040 mm doors. Clearance: 3100 x 2030 mm.
- 5444 x 2115: To suit double 926 x 2040 mm doors. Clearance: 3500 x 2030 mm.
- 6044 x 2115: To suit double 1026 x 2040 mm doors. Clearance: 3900 x 2030 mm.

Frames can be adapted to non-standard door sizes on request.

Accessories:

Synchronization: Open and close both doors (one side) with smooth action (recommended).

Product specification

Manufacturer

- Name: Eclisse UK

- Web: www.eclisse.co.uk



- Email: info@eclisse.co.uk
- Tel: +44 (0)845 481 1977
- Fax: +44 (0)1476 560710
- Address: Richmond House 2, Occupation Lane, Gonerby Moor, Grantham, Lincolnshire NG32 2BP

Product reference Telescopic Sliding Pocket Door System
Single
Telescopic Sliding Pocket Door System
Double

Size []

Door furniture OSO8 - Polished brass simple flush pull.
OSC4 - Antique brass simple flush pull.
OSC2 - Polished chrome simple flush pull.
OSC1 - Satin chrome simple flush pull.
OSO3 - Polished brass bathroom lock.
OSA - Antique brass bathroom lock.
OSO1 - Polished chrome bathroom lock.
OSS - Satin chrome bathroom lock.

Accessories [Not required]
[Synchronization]